

## Mechanical 180 Watt 4.5L Ultrasonic Digital Cleaner

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: China
- Brand Name: SkyMen
- Certification: CE ROHS FCC
- Model Number: JP-030
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: 1 unit per carton
- Delivery Time: In Stock
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: JP-030
- Capacity: 4.5L
- Tank Size: 300\*150\*100mm
- Unit Size: 330\*200\*235mm
- Paking Size: 340\*250\*310mm
- Transduces: 3pcs
- Ultrasonic Power: 180W
- Timer: 0-30 Minutes Adjustable
- Frequency: 40KHz
- Material: SUS 304
- G.W: 5.4KG
- Power Supply: AC 110V ; AC 220V
- Heating Power: 200W
- Highlight: **180 Watt Ultrasonic Parts Cleaners, 4.5L Ultrasonic Cleaning Tanks**



### More Images



## Product Description

### Mechanical Knob Ultrasonic Cleaner Ultrasonic Surgical Instrument Cleaning Bath

#### Features:

More convenient for operation

Stainless steel tank has resistance to wear and long work life.

Tank capacity: 4.5L

With Stainless steel basket

Use just tap water, or industrial solvent cleaner for more higher cleaning requirement

Industrial control chip microcontroller.flexible circuit boards control, more secure & stable

#### JP-030 product specification:

Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	4.5L
Timer	0~30 mins
Heater	200W
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	180W
Tank inner dimension	300*150*100mm
Unit dimension	330*200*235mm
Inner Packing size	340*250*310mm
Transducers	3pcs
N.W.	4.6kg
G.W.	5.4kg
Certificate	ISO9001:2008 & CE & RoHS



1. stainless steel tank has resistance to wear and long work life.
2. tank capacity:4.5L(1.05gallon), with mechanical timer & heater control
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller.flexible circuit boards control, more secure & stable

#### Application:

Jewelry industry, medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university, dental clinics, eyeglass shop, hardware tools shop, printing industry.

## Application



Watch & Eyeglasses



Denture



Print injector



Hardware stores



Jewelry




Barbershop



Tableware

## MULTIPURPOSE CLEANING

It's used in various industries from automotive to electronics to medical facilities for a number of applications.



### Package Includes:

- 1 x Digital Ultrasonic Cleaner
- 1 x Cleaning Basket
- 1 x Manual

## A white and blue ultrasonic cleaner. The front panel features a digital display showing '1.0' and '°C'. Below the display are two large rotary knobs: the left one is labeled 'TEMP' and ranges from 10 to 60; the right one is labeled 'TIME' and ranges from 0 to 30. Between the knobs are two small buttons labeled 'HEAT/TEMP' and 'ULTRASONIC'. The top of the unit has a black handle. A red logo is visible in the top right corner of the image.

- 
- The collage displays the following items:
- A metal mesh basket for holding items to be cleaned.
  - A black power cord with a three-pronged plug.
  - A technical manual titled "Ultrasonic Cleaner" with "Instruction Manual" and "Safety Precautions" sections.
  - The ultrasonic cleaner unit, a white rectangular device with two control knobs and a digital display.
  - The product packaging box, labeled "ULTRASONIC CLEANER" and "C-100".

***Please choose the size fits for you, or cotact for professional suggestions:***

Mechanical timer hater adjustable series								
Model	JP-010	JP-202	JP-030	JP-031	JP-040	JP-060	JP-080	JP-100
Capacity(L)	2	3.2	4.5	6.5	10	15	22	30
Tank size(MM)	150*135*100	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Packing size(MM)	180*165*205	270*185*230	330*200*235	375*200*275	380*290*280	400*350*280	585*330*150	585*327*330
Frequency(KHz)	40KHz							
Ultrasonic power (W)	60	120	180	180	240	360	480	600
Heating power(W)	100	100	200	200	200	300	500	500
Timer(min)	0-30 minutes							
Heater(° C)	20-80° C							
Tank Material	SUS304							



**Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen