

Shenzhen, China

RoHS, CE, FCC, SGS

Skymen

020S

Negotiation

In Stock

T/T

Wooden case

8000 pcs per month

1

3 Liters 40KHz 120W Table Top Ultrasonic Cleaner SS

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Model:
- First Tank Volume:
- Tank Size:
- Ultrasonic Power:
- Heating Power:
- Frequency:
- Timer:
- Temperature:
- Materials:
- Highlight:

020S
3.2L
240*135*100mm
120W
100W
40KHz
0~30 Minutes Adjustable
20~80 Adjustable
Stainless Steel 304
120W Table Top Ultrasonic C

120W Table Top Ultrasonic Cleaner, Table Top Ultrasonic Cleaner 40KHz, 3 Liters Stainless Steel Ultrasonic Cleaner



More Images



Product Description

3.2L Ultrasonic Cleaner 120W for Vinyl Record, Lab, surgical instrument, dental, Musical Instruments 40KHz

Specification			
Model	020S		
Ultrasonic frequency	40,000Hz		
Material of tank	SUS304		
Material of shell	SUS304		
Capacity	3.2L		
Timer	0~30 mins adjustable		
Temperature	20~80 adjustable		
Power supply type 1	AC 100~120V, 50/60Hz		
Power supply type 2	AC 220~240V, 50/60Hz		
Ultrasonic power	120W		
Heating Power	100W		
Tank inner dimension	240*135*100mm		
Unit dimension	270*185*230mm		
Inner Packing size	255*240*230mm		
N.W.	3.35kg		
G.W.	4kg		
Warranty	1 year		
Certificate	SGS & FCC & CE & RoHS		

Similar models with different capacity: *Stainless Bench Top*

5		Deg	gas	
	/	heating indicator	ultrasonic indicator	
	0	ULTRASONI		
	Time display			Dagas indicator Time display
ULTRAGONIC CLEANER DO	Temp+			Semiwave indicator
	Heater switch	0		ultrasonic switch
		Temp-	Timer+	-
		Cami		

Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

Key Features

•

3.2 Litre Digital Ultrasonic Cleaner Tank


• Removes Dirt, Grease, Corrosion - can be used for cleaning Electronic and Mechanical parts. For best results use appropriate cleaning fluid or solvent suitable for the item.

- The Digital series offers a digital display of temperature and timer setting
- For best results use appropriate cleaning fluid or solvent suitable for the item
- Wire Basket Available
- Tank and Housing Made From Stainless Steel

Products details:

PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance





Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.



Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.







Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.



Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health







Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding

Application:

Jewelry industry, medical industry, electronic factory, molding factory, car workshop, diesel workshop, car industry, scientific laboratory, university, dental clinics, eyeglass shop, hardware tools shop, printing industry.

Skymen ultrasonic cleaner strive to provide specialist and affordable ultrasonic cleaning equipment, our ultrasonic cleaning tanks and fluids can be used for many applications. Including mechanics, engineering workshops, machinists, factories, hospitals, dental practices, surgeries, general practices (GPS), doctors, veterinarian, vets, laboratories, marine work, tattoo studios, body piercing parlors, labs, universities, PCB boards, soldering, scuba diving schools, gardeners, tree surgeons, jewellers, watch repair, acupuncture, hairdressers, kitchens, restaurants, bars, hotels, cafes, hobbyists, industrial, printers, coin collectors, and more

skymen Technology Corporation Limited				
& 86-	-755-27094405	info@skymen.cc	skymenultrasonic.com	
Floor 1st & 2nd, Buildir		ndustrial Park, Dawangs District, Shenzhen	han Community, Shajing Street, Bao'an	